

**APPLICATION FOR PERMIT  
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office..... JUL 19 1995  
 Returned to applicant for correction..... AUG 07 1995  
 Corrected application filed..... AUG 16 1995  
 Map filed..... AUG 16 1995

The applicant..... Augustine C. Bustos  
601 Rancho Road, Bldg. D, Ste. 34, of Las Vegas,  
Street and No. or P.O. Box No. City or Town  
Nevada 89106, hereby make S application for permission to appropriate the public  
State and Zip Code No.  
 waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a  
 copartnership or association, give names of members.)

1. The source of the proposed appropriation is Underground Source  
Name of stream, lake, spring, underground or other source
2. The amount of water applied for is 0.1 C.F.S. second-feet  
One second-foot equals 448.83 gals. per min.  
 (a) If stored in reservoir give number of acre-feet.....
3. The water to be used for Commercial purposes  
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
4. If use is for:
  - (a) Irrigation, state number of acres to be irrigated N/A
  - (b) Stockwater, state number and kinds of animals to be watered N/A
  - (c) Other use (describe fully under No. 12. "Remarks")
  - (d) Power:
    - (1) Horsepower developed N/A
    - (2) Point of return of water to stream N/A
5. The water is to be diverted from its source at the following point Within the Southwest quarter (SW $\frac{1}{4}$ ) of the Southwest quarter (SW $\frac{1}{4}$ ) of Section 1, T23S, R57E, MDM from which the Northeast corner of said Section 1, survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated. T23S, R57E, MDM from which the Northeast corner of said Section 1, T23S, R57E, MDM, bears North 45° 29' 22" East a distance of 6171.47 feet.  
Describe as being within a 40-acre subdivision of public
6. Place of use Northeastern Potosi and North end patented mill sites under Mineral Survey Number 4246 B, 15 acres  
Describe by legal subdivision. If on unsurveyed land, it should be so stated.  
more or less being a portion of the Southwest quarter (SW $\frac{1}{4}$ ) of the Southwest quarter (SW $\frac{1}{4}$ ) of Section 1, T23S, R57E, MDM, and central mill site 5 acres more or less under Mineral Survey Number 4246 B being a portion of the Northwest quarter (NW $\frac{1}{4}$ ) of the Northwest quarter (NW $\frac{1}{4}$ ) of Section 12, T23 S, R57E, MDM
7. Use will begin about January 1 and end about December 31, of each year.  
Month and Day Month and Day
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Drill 8" steel cased well, install submersible pump, wiring, piping, totalizing meter, storage tanks, pressure tanks, booster pumps and appurtenances.  
State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.

9. Estimated cost of works \$25,000

10. Estimated time required to construct works One year  
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use three years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

Water to be used for future lodge, fat farm and 37 rental cabin units. Estimated use to be 17,250 gallons per day when fully operational.

By s/Robert Fulstone Agent  
 FULSTONE ENTERPRISES, INC., LAND SURVEYORS  
 940 S. MARTIN L. KING BLVD.  
 LAS VEGAS, NEVADA 89106

Compared bk/tdf cl/cms

Protested \_\_\_\_\_

APPROVAL  
 OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.  
 (CONTINUED ON PAGE 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.10 cubic feet per second, but not to exceed 19.325 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before September 4, 1998

Proof of completion of work shall be filed before October 4, 1998

Application of water to beneficial use shall be filed on or before September 4, 2001

Proof of the application of water to beneficial use shall be filed on or before October 4, 2001

Map in support of proof of beneficial use shall be filed on or before N/A

Completion of work filed APR 30 1999

Proof of beneficial use filed \_\_\_\_\_

Cultural map filed \_\_\_\_\_

Certificate No. \_\_\_\_\_ Issued \_\_\_\_\_

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.  
 State Engineer of Nevada, have hereunto set my hand and the seal of my

office, this 4th day of September,

A.D. 1998

*[Signature]*  
 State Engineer

(PERMIT TERMS CONTINUED)

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued under the provisions of NRS 534.120(2) as a preferred use.